





HF 650LC 400V)



668
620


	1		2			
	[A]	[kW]	[A]	[kW]		
HF650LC - 160-4	330	160	265	132	12	L2
HF650LC - 185-4	360	185	330	160		
HF650LC - 220-4	438	220	360	185		
HF650LC - 250-4	485	250	438	220		
HF650LC - 280-4	545	280	485	250		
HF650LC - 160-4-S	330	160	265	132	6	
HF650LC - 185-4-S	360	185	330	160		
HF650LC - 220-4-S	438	220	360	185		
HF650LC - 250-4-S	485	250	438	220		
HF650LC - 280-4-S	545	280	485	250		
HF650LC - 315-4	620	315	545	280	12	
HF650LC S 355-4	668	355	620	315		
HF650LC - 360-4	760	400	668			



技术参数

		/	/ 6 4
	(L/min)	L2	22L/min L3 24L/min
	()	55	
		5	
	MPa	0.6	
	(Kpa)	80~150	
	(mm)		
		/	PA PEX Teflon

水嘴图



变频器可选附件说明

GDHF-DP03	GDHF-DP03	Profibus	HF650
GDHF-PGD2 PG	GDHF-PGD2 PG		HF650
GDHF-MB02	GDHF-MB02	MODBUS	HF650
	GDHF-PN02	PROFINET	PROFINET

HF154

! HF IB02